TQ SERIES

DURAPAC

MANUAL TORQUE WRENCHES

F

THE **TQ-SERIES** MANUAL TORQUE WRENCHES ARE PRECISION TOOLS USED IN VARIOUS INDUSTRIES LIKE AUTOMOTIVE, MANUFACTURING, AND CONSTRUCTION.

Durapac offer a variety of manual torque wrenches with different drive sizes and torque capabilities, ensuring your unique needs are met. Each tool is supplied with a factory calibration certificate and robust carry case.



Model No.	Square Drive	Teeth	Torque Range (Nm)	Graduation (Nm)	Length (mm)	Weight (kg)
TQ-20	3/8"	24	4 – 20	0.1	329	0.65
TQ-60	3/8"	32	10 – 60	0.5	344	0.76
TQ-100	1/2"	32	20 – 100	0.5	436	1.31
TQ-200	1/2"	32	40 – 200	1.0	512	1.58
TQ-340	1/2"	32	60 – 340	2.0	614	1.80
TQ-400	3/4"	32	80 – 400	2.0	614	1.80
TQ-600	3/4"	24	100 – 600	5.0	1,050	5.03
TQ-800	3/4"	24	150 – 800	5.0	1,240	6.11
TQ-1000	3/4"	24	200 – 1,000	5.0	1,240	6.11
TQ-1500	1"	24	300 – 1,500	10.0	1,850	10.60
TQ-2500	1"	36	500 – 2,500	20.0	2,920	19.60



TQ | SERIES

MANUAL TORQUE WRENCHES



for clockwise and counterclockwise applications. Ratchet head repair kits available separately

CHROME STEEL TUBE

is robust and reliable, making it ideal for industrial use

MICROMETER LASER SCALES

on the handle, enable precise adjustment

LOCK RING

automatically locks the set torque value but allows 'press-down' easy adjustment

QUICK-RELEASE DESIGN

allows fast socket changes

POSITIVE FEEDBACK

an audible signal indicates when desired torque is achieved

SERIAL NUMBER

engraved for traceability

CERTIFIED QUALITY

meets DIN ISO 6789, ASME B107.300-2010 & supplied with Certificate of Calibration

TPR HANDLE

TPR (thermoplastic rubber) handle provides non-slip comfort & comes with a REACH - SVHC Declaration of Conformity



TORQUE RANGE
4 - 2,500 Nm

SQUARE DRIVE RANGE

3/8" - 1"

TORQUE TOLERANCE

±3%

